

PVC Borehole Casing Pipe BOE

PVC borehole casing pipe with solvent weld joints (BOE)

Borehole casing is a specialised PVC pipe offered to the mining & water drilling industry. Borecasing PVC pipe is used to form a lining or casing for a water bore drilled vertically into the ground. In this application, resistance to external loads rather than internal pressure is important so the primary consideration is pipe wall thickness to ensure high collapse resistance.

- Manufactured in South Africa
- Solvent cement joint
- Available in 6m effective lengths or 3m lengths
- Improved material performance
- No adverse effect on water quality
- Hydraulic efficiency
- Light weight and easy to handle
- Suitable for aggressive or saline soils




Applications

- Mining
- Water supply

Technical Data

Size Range 110mm - 200mm

ITEM	DESCRIPTION
Pipe material	PVC
Colour	Blue
Joint type	Solvent cement



Dimensions

Nominal Diameter	Outside Diameter	TP
Inches	Dm min (mm)	(mm)
4"	110.00	3.0
4 1/2 "	125.00	3.0
5"	140.00	3.5
6"	165.00	4.6
7"	180.00	5.0
8"	200.00	6.0



Product Range

Class 6

110mm x 2.5mm wall / 6.0m BOE Casing
 125mm x 2.5mm wall / 6.0m BOE Casing
 140mm x 2.8mm wall / 6.0m BOE Casing
 165mm x 3.2mm wall / 6.0m BOE Casing

Class 9

110mm x 3.0mm wall / 6.0m BOE Casing
 125mm x 3.0mm wall / 6.0m BOE Casing
 140mm x 3.5mm wall / 6.0m BOE Casing
 165mm x 4.0mm wall / 6.0m BOE Casing

Class 12

110mm x 4.0mm wall / 6.0m BOE Casing
 125mm x 4.0mm wall / 6.0m BOE Casing
 140mm x 4.6mm wall / 6.0m BOE Casing
 165mm x 5.0mm wall / 6.0m BOE Casing
 180mm x 5.0mm wall / 6.0m BOE Casing

